



A 84 HIDDEN SASH PASSIVHAUS - PVC

ENERGY EFFICIENCY

Thermal Transmission Coefficient

U_w from 0.74 (W/m²K)

Please consult typology, dimensions and glazing.

ACCOUSTIC INSULATION

Maximum glazing: 1.83"

Maximum accoustic insulation: $R_w = 46$ dB

CATEGORIES ACHIEVED AT TEST CENTRE

Protection against atmospheric agents

Air permeability (UNE-EN 12207):

Class 4

Water tightness (UNE-EN 12208):

Class E₂₂₅₀

Wind resistance (UNE-EN 12210):

Class C5

Reference test window 48.43" × 58.27" 2 sashes.

SECTIONS	Frame 3.31" Sash 3.31"		GASKETS	
CLASIFICATION	Profile thickness Class A ≥ 0.11"		EPDM Triple GASKET	
	Weather Severe weather Impact Class II		OPENING POSIBILITIES	
MAXIMUM DIMENSIONS	Width (L) = 17.72"-55.12" Height (H) = 17.72"-86.61"		INWARDS	Side hung, turn&tilt, parallel tilt, tilt, bottom hung.
			FINISHES	Optionally bicoloured White Smooth colours Wood-imitation effect
MAXIMUM WEIGHT/SASH	130 Kg Window	130 Kg Balcony		

Please consult maximum dimensions according to types.

