



KIT 3


- Pressure balance shower KIT including:
- 8" Brass Square rain shower head - Anti Limestone
 - 12" Brass Square wall mounted arm & flange
 - Trim 697 ceramic disc valve cartridge
 - Rough in valve 697
 - 1/2" inlet connections


KIT 4


- Thermostatic shower KIT including:
- 8" Brass Square rain shower head - Anti Limestone
 - 12" Brass Square wall mounted arm & flange
 - Trim 690 with thermostatic valve & 3/4" ceramic disc volume control
 - Rough in valve 690
 - 1/2" inlet connections


KIT 5

- Pressure balance hand shower KIT including:
- 8" Brass Square rain shower head - Anti Limestone
 - 12" Brass Square wall mounted arm & flange
 - Trim 788 with diverter & ceramic disc valve cartridge
 - Rough in valve 788
 - Square wall mounted brass handshower set including 1-jet square handshower, wall mounted bracket & supply elbow + flange, 78" flexible hose
 - 1/2" inlet connections



KIT 6

- Thermostatic hand shower KIT including:
- 8" Brass Square rain shower head - Anti Limestone
 - 12" Brass Square wall mounted arm & flange
 - Trim 691 with thermostatic valve & 2 way diverter volume control
 - Rough in valve 691
 - Square wall mounted brass handshower set including 1-jet square handshower, wall mounted bracket & supply elbow + flange, 78" flexible hose
 - 1/2" inlet connections




SQ..74512

12" wallmount shower arm with strengthened fixing.




SQ..74516

16" wallmount shower arm with strengthened fixing.




SQ..74406

6" Ceiling mount shower arm with strengthened fixing.



SQ..74408


8" Ceiling mount shower arm with strengthened fixing.



QU..75908

8" square brass shower head. Anti-limestone.


Flow Rate: 1.8 GPM @ 60 PSI MAX



QU..75910

10" square brass shower head.
Anti-limestone.


Flow Rate: 1.8 GPM @ 60 PSI MAX



QU..75912

12" square brass shower head.
Anti-limestone.



Flow Rate: 1.8 GPM @ 60 PSI MAX



SQ..75908

Extraslim 8" showerhead only.
Square design.
1/2" Connections.



Flow Rate: 1.8 GPM @ 60 PSI MAX



SQ..75910

Extraslim 10" showerhead only.
Square design.
1/2" Connections.



Flow Rate: 1.8 GPM @ 60 PSI MAX



SQ..75912

Extraslim 12" showerhead only.
Square design.
1/2" Connections.


Flow Rate: 1.8 GPM @ 60 PSI MAX



QU..689

Shower column with thermostatic mixer, 38° safety button, integrated diverter, brass tube, wall mounted shower holder.
 10" inch square shower head.
 Single jet square hand shower.
 78" flexible hose.

Flow Rate: 1.8 GPM @ 60 PSI MAX




QUADRO

QU..129

24" brass slide bar kit.
 Single jet square hand shower
 Wall mount bracket & supply elbow.
 Single jet square hand shower.
 78" flexible hose.


Flow Rate: 1.8 GPM @ 60 PSI MAX



QU..440

Wallmounted brass handshower kit.
 1-jet hand shower.
 Wall mount bracket & supply elbow.
 78" flexible hose.

Flow Rate: 1.8 GPM @ 60 PSI MAX



50..162


78" metal shower hose.



SQ..503

Square brass drop elbow.

1/2" NPT Connection.



SQ..721


Square brass body tile spray.

Directional Body Spray.

30° Rotation.

1/2" Female NPT Connection.

Flow Rate: 1.5 GPM @ 60 PSI MAX



89..721


Square brass body spray.

Directional Body Spray.

30° Rotation.



1/2" Female NPT Connection.

Flow Rate: 1.5 GPM @ 60 PSI MAX



QU..430

Brass tub spout wall mount.



SQ..945

Push down pop up drain
with square top.

