


series  
*Kitchen*



**CR**  
  
CHROME

**PW**  
  
BRUSHED  
NICKEL

**WH**  
  
WHITE  
METALLIC


**BL**  
  
BLACK  
METALLIC



**09..591B**

Single handle pull-down spray  
kitchen faucet, spout rotates.  
17 1/2" spout height.  
9" spout reach.  
2 13/16" maximum deck thickness.  
8" optional deck plate included.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
53CC956GM

**09..591D**

Single handle pull-down spray  
kitchen faucet, spout rotates.  
17 7/8" spout height.  
8" spout reach.  
1 1/2" maximum deck thickness.  
8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
53CC956GM

**64..557PZB**

Single handle pull-out with silycon  
spout and a sprayer, spout rotates.  
18 5/8" spout height.  
8 11/16" spout reach.  
1 5/8" maximum deck thickness.  
8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
53CC956GM

**78..591S**

Single handle pull-down spray  
kitchen faucet, spout rotates.  
16 5/8" spout height.  
8 11/16" spout reach.  
1 5/8" maximum deck thickness.  
8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
53CC956GM

**92..555LL**

Kitchen faucet with spout rotates.  
 20 1/4" spout height.  
 8 1/4" spout reach.  
 2 3/4" maximum deck thickness.  
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
 53CC956GM

**DA..490**

Kitchen faucet with spout rotates.  
 19 3/4" spout height.  
 8 1/4" spout reach.  
 1 15/16" maximum deck thickness.  
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement valve  
 53CC581XAD right  
 53CC581XAS left

**78..591**

Single handle pull-down  
 kitchen faucet, spout rotates.  
 13 3/16" spout height.  
 6 13/16" spout reach.  
 2 3/16" maximum deck thickness.  
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
 53CC956GM

**92..591LL**

Single handle pull-down  
 spray kitchen faucet, spout rotates.  
 17 11/16" spout height.  
 7 11/16" spout reach.  
 1 15/16" maximum deck thickness.  
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI



replacement cartridge  
 53CC956GM

CR


PW

WH / BL

### 86..557

Single handle pull-out with  
spring spout and a sprayer  
spout rotates.  
19 7/8" spout height.  
7 1/8" spout reach.  
1 15/16" maximum deck thickness.  
8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
53CC956GM

### 78..557

Single handle pull-out with  
spring spout and a sprayer  
spout rotates.  
21 7/16" spout height.  
7 1/8" spout reach.  
1 15/16" maximum deck thickness.  
8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
53CC956GM

### 78..559Y0

Single handle pull-out with  
silicon spout and a sprayer  
spout rotates.  
20 5/16" spout height.  
8" spout reach.  
1 15/16" maximum deck thickness.  
8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
53CC956GM

### 78..557Y0

Single handle pull-out with  
silicon spout and a sprayer  
spout rotates.  
18 1/16" spout height.  
7 1/4" spout reach.  
2 15/16" maximum deck thickness.  
8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
53CC956GM

**78..557PE**

Single handle pull-out spray kitchen faucet, spout rotates.  
 18 3/8" spout height.  
 7 1/4" spout reach.  
 1 15/16" maximum deck thickness.  
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
 53CC956GM

**78..558**

Single handle pull-down kitchen faucet, spout rotates.  
 19 1/16" spout height.  
 7 5/8" spout reach.  
 2 3/8" maximum deck thickness.  
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
 53CC956GM

**78..556**

Single handle pull-down kitchen faucet, spout rotates.  
 20 1/8" spout height.  
 7 1/8" spout reach.  
 1 15/16" maximum deck thickness.  
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
 53CC956GM

**84..557**

Single handle kitchen faucet with spring spout and a sprayer  
 spout rotates.  
 23 3/4" spout height.  
 9 7/16" spout reach.  
 1 3/4" maximum deck thickness.  
 8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI



replacement cartridge  
 53CC956GM

CR


PW

WH / BL

### 64..576

Pull out spray kitchen faucet  
spout rotates.  
9 1/8" spout height.  
7 3/4" spout reach.  
1 15/16" maximum deck thickness.  
8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
53CC956GM

### 78..576

Minimal pull out kitchen faucet  
spout rotates.  
9 5/16" spout height.  
9 1/4" spout reach.  
1 3/4" maximum deck thickness.  
8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
53CC956GM

### 78..568

Pull-out kitchen faucet  
spout rotates.  
9 13/16" spout height.  
7 15/16" spout reach.  
1 11/16" maximum deck thickness.  
8" optional deck plate available.

Flow Rate: 1.8 GPM @ 60 PSI




replacement cartridge  
53CC956GM

### 78..518

Wallmount Pot Filler  
Modern Design

- Lever Handles
- Extends 28"
- (2) Shut off valves


Flow Rate: 1.8 GPM @ 60 PSI



replacement valve  
53CC581XAD right



Flow Rate: 1.8 GPM @ 60 PSI




7842568 TITANIUM  
7844568 BLACK METALLIC  
7858568 MILK WHITE  
7864568 BROWN



replacement cartridge  
53CC956GM

**86..591**

Flow Rate: 1.8 GPM @ 60 PSI



8642591 TITANIUM  
8644591 BLACK METALLIC  
8658591 MILK WHITE  
8664591 BROWN



replacement cartridge  
53CC956GM

### Matching sink color

42UG



TITANIUM

44UG



BLACK METALLIC

58UG

MILK WHITE

64UG



BROWN

