

HANDLES

The handles used in our products are made of aluminium and are distinguished not only by their elegant design the colour options, but also by their ergonomic shape. Handles can be supplied with options with a key or pushbutton to prevent unintentional opening (an option particularly recommended for children's rooms).

ALUMINIUM HANDLES FOR WINDOW AND BALCONY DOORS

WINDOW HANDLE

WITH PUSH-BUTTON

DUBLIN WINDOW HANDLE WITH PUSH-BUTTON

HANDLES FOR IGLO - HS SYSTEM

STANDARD

STANDARD WINDOW HANDLE



DUBLIN WINDOW HANDLE



WINDOW HANDLE MA1010 STAINLESS STEEL



HANDLE WITH AUTOMATIC FOR PSK SYSTEM



WITH DOUBLE-SIDED INSERT

WINDOW HANDLE WITH KEY



DUBLIN WINDOW HANDLE WITH KEY



WITH SINGLE-SIDED INSERT



Available in: white, silver, olive and brown.







NON-STANDARD DESIGNS

We also offer non-standard window designs in systems:

- MB-86N SI
- MB-70HI
- MB-45
- SOFTLINE
- DUOLINE

For confirmation of a non-standard design, contact your dealer or Drutex's Technology Department.



CREATE YOUR OWN UNIQUE STYLE



D




FITTINGS

The fittings used by DRUTEX are the perfect solution in terms of security and functionality of the window and door joinery.

The fittings used by DRUTEX are the perfect solutionin terms of security and functionality of the window and door joinery.

MOUNTING WEDGES

Option of ordering mounting wedges used to level window and door frames during the installation.





STANDARD HINGES CONCEALED HINGES



TRANSOM WINDOW

allows the transom window to be opened or closed mechanically in places that are difficult to access (e.g. due to the height of the transom window).



REED SWITCH

magnetic window and door opening sensor is a part of the Smart Home access control system or alarm system




FRICTION BRAKE

protects against spontaneous opening or closing of window and door sashes



HINGE COVERS¹




TBT (TILT BEFORE TURN) FITTINGS

tilt position before opening - key protection against full opening of the window



ALUMINIUM BALCONY DOOR PULL-HANDLE²



1) Available colours:

- Standard:
- white,
- brown,
- light brown,
- silver.

as an additional option:

- black,
- gold-look,
- titanium,
- champagne,
- cream.

2) Available colours:

- white RAL 9016,
- silver RAL 9006,
- brown RAL 8019
- RAL 1036,
- RAL 7016.


6,	
ō,	
19,	



FIXING AND MASKING ANGLE PROFILES

The use of fixing and masking angle allows windows to be installed without removing the old window frames. This solution is successfully used in historic buildings or where exceptional care is required for the building facade.

Available colours p. 62-63.







VENTILATION

Aiming at providing the highest living comfort, Drutex offers high-quality ventilators that ensure proper ventilation and fresh air when the windows are tightly closed.

(j) For the application of ventilation in PSK systems, consult the DRUTEX's Technology Department.

INTERNAL VIEW



6,2-22 m³/h*	Ventair Simpress pressure ventilator
100 million 100	1) Available colours:
	white,
	RAL: 8003, 8017, 7016.

7-28 m³/h*	Aereco EXR acoustic hygro-regulated ventilator	
	1) Available colours:	
	 RAL: 8001, 8017, 7016, 7045. 	











BENEFITS OF USING VENTILATORS:

- modern, natural and healthy ventilation
- improved air exchange
- thermal comfort in the room (no feeling of draught as with tilted windows)
- possibility of adjusting the air flow in accordance with the weather conditions

- Radaks
- Available colours: white (gaskets in black or grey).

Maco Vent

Available colours: white (gaskets in black or grey).

- reducing the risk of damp rooms and the fungal and mould growth
- security
- wide range of options: wooden windows, PVC windows, aluminium windows.



Regel - air Available colours: white (gaskets in black or grey).



RENSON THM 90 ventilator with a drip cap

Available colours:

- RAL: 7016, 8019, 9005, 9006, 9016,
- Ask your dealer or our sales department aboutcustom colours.





GLASS-PANE SPACERS

The glass-pane spacers contribute to the thermal insulation of the glazed units. Drutex already offers glass-pane spacer made of galvanised steels as a standard, which are characterised by very good thermal insulation, much better than aluminium spacers. The Swisspacer Ultimate plastic spacer is available as an option.

Glass-pane spacer made of galvanised steel

is provided as standard with every glazed unit.





Swisspacer Ultimate

Optional Swisspacer Ultimate glass-pane spacer available in black, brown, grey.





SMART HOME with everything under control

Intelligent control systems for window automation via remote control, tablet or smartphone are becoming increasingly popular with customers, allowing the system to also be managed remotely while they are away.


There is the option of opening and closing windows individually, in groups as well as time-based programming and connection to other intelligent systems in the house.

This is an investment in comfort and functionality at the highest level.

G-U AUTOMATICS

A modern system designed for HS system solutions. Functions:

- opening and closing
- operation via remote control and/or smartphone app



Windows, doors, roller shutters, Venetian blinds, gates and wickets that, thanks to the intelligent control unit from Somfy -TaHoma[®] switch, can open or close by themselves at selected times of the day, can tilt or slide in integrated groups or individually, offering us full control and surveillance of our home, even when we are not inside. The TaHoma[®] switch also allows us to manage the lighting in the house and garden.

() □ □ □ ○ ※ ≈



BleBox product line

These are miniature devices that allow you to open and close doors, windows, roller shutters, awnings, Venetian blinds, gates, manage lighting or the alarm system via your smartphone and tablet - even from anywhere in the world.





