

series
Elba



CR



CHROME

PW



BRUSHED
NICKEL

OK



MATT GOLD
PVD

BL



MATT BLACK
PVD




Conformità
CEI 021301:2012

KIT 3


Pressure balance shower KIT including:

- 8" Brass round rain shower head - Anti Limestone
- 12" Brass round wall mounted arm & flange
- Trim 697 ceramic disc valve cartridge
- Rough in valve 697
- 1/2" inlet connections


KIT 4


Thermostatic shower KIT including:

- 8" Brass round rain shower head - Anti Limestone
- 12" Brass round wall mounted arm & flange
- Trim 690 with thermostatic valve & 3/4" ceramic disc volume control
- Rough in valve 690
- 1/2" inlet connections


KIT 5


Pressure balance hand shower KIT including:

- 8" Brass round rain shower head - Anti Limestone
- 12" Brass round wall mounted arm & flange
- Trim 788 with diverter & ceramic disc valve cartridge
- Rough in valve 788
- Round wall mounted brass handshower set including 1-jet round handshower, wall mounted bracket & supply elbow + flange, 78" flexible hose
- 1/2" inlet connections


KIT 6


Thermostatic hand shower KIT including:

- 8" Brass round rain shower head - Anti Limestone
- 12" Brass round wall mounted arm & flange
- Trim 691 with thermostatic valve & 2 way diverter volume control
- Rough in valve 691
- Round wall mounted brass handshower set including 1-jet round handshower, wall mounted bracket & supply elbow + flange, 78" flexible hose
- 1/2" inlet connections




RD..74512

12" wallmount shower arm with strengthened fixing.




RD..74516

16" wallmount shower arm with strengthened fixing.




RD..74406

6" Ceiling mount shower arm with strengthened fixing.



RD..74412


12" Ceiling mount shower arm with strengthened fixing.



RD..75908

Extraslim 8" showerhead only.
Round design.
1/2" connections.



Flow Rate: 1.8 GPM @ 60 PSI MAX



RD..75910



Extraslim 10" showerhead only.
Round design.
½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX


RD..75912


Extraslim 12" showerhead only.
Round design.
½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX


78..75908


8" round brass shower head.
Anti-limestone.
½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX


78..75910


10" round brass shower head.
Anti-limestone.
½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX


78..75912

12 round brass shower head.
Anti-limestone.
½" connections.


Flow Rate: 1.8 GPM @ 60 PSI MAX



78..689

Shower column with thermostatic mixer, ABS handles, 38° safety button, integrated diverter, brass tube, adjustable shower holder. 8" inch round shower head. 3 jets hand shower. 78" flexible hose.

Flow Rate: 1.8 GPM @ 60 PSI MAX




ELBA

RD..129

24" brass slide bar kit. Includes: Handshower, Wall mount bracket & supply elbow. Single jet hand shower. 78" flexible hose.


Flow Rate: 1.8 GPM @ 60 PSI MAX



RD..440

Wallmounted brass handshower kit. 1-jet hand shower. Wall mount bracket & supply elbow. 78" flexible hose.

Flow Rate: 1.8 GPM @ 60 PSI MAX



50..162


78" metal shower hose.



RD..503

Round brass drop elbow.

1/2" NPT Connection



RD..721


Round brass body tile spray.

Directional Body Spray.

30° Rotation.

1/2" Female NPT Connection.

Flow Rate: 1.5 GPM @ 60 PSI MAX



86..721


Round brass body spray.

Directional Body Spray.

30° Rotation.

1/2" Female NPT Connection.


Flow Rate: 1.5 GPM @ 60 PSI MAX



78..430

Brass tub spout wall mount.

5 3/4" Brass tub spout.



RD..945

Push down pop up drain.

